

Ackerman, Joyce

From: Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Sent: Tuesday, February 6, 2018 8:43 AM
To: Ackerman, Joyce
Subject: RE: Soils Remediation

Thanks Joyce greatly appreciated. TJK

From: Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]
Sent: Tuesday, February 6, 2018 8:30 AM
To: Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Subject: RE: Soils Remediation

Hi Tom – I heard about it from Tobi last week, a vendor named IsoTech with an office in Arvada.

Thanks!

Joyce

From: Thomas J. Krasovec [mailto:TJKrasovec@Geosyntec.com]
Sent: Tuesday, February 6, 2018 8:27 AM
To: Ackerman, Joyce <Ackerman.Joyce@epa.gov>
Subject: Soils Remediation

Joyce,

Richard mentioned that you knew of a mobile thermal desorption unit that could treat the soils on site for around 500K. Would you please forward such information to me so we can include it in our assessment.

Thanks TJK

Thomas J Krasovec
Senior Professional
Geosyntec Consultants
Ph: 720-509-8911
Cell: 517-719-4984
Geosyntec Consultants, Inc.
5670 Greenwood Plaza Blvd, Suite 540
Greenwood Village, CO 80111

This message and any attachments may contain confidential information protected by attorney-client or other privilege. If you believe this message has been sent to you in error, please reply to the sender that you received it in error and delete the message. Thank you

Ackerman, Joyce

From: Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Sent: Tuesday, February 6, 2018 8:27 AM
To: Ackerman, Joyce
Subject: Soils Remediation

Joyce,

Richard mentioned that you knew of a mobile thermal desorption unit that could treat the soils on site for around 500K. Would you please forward such information to me so we can include it in our assessment.

Thanks TJK

Thomas J Krasovec
Senior Professional
Geosyntec Consultants
Ph: 720-509-8911
Cell: 517-719-4984
Geosyntec Consultants, Inc.
5670 Greenwood Plaza Blvd, Suite 540
Greenwood Village, CO 80111

This message and any attachments may contain confidential information protected by attorney-client or other privilege. If you believe this message has been sent to you in error, please reply to the sender that you received it in error and delete the message. Thank you